Shallow-Water Habitat in the LCRE A Highly Altered System

May 18, 2023

*Will Templeton^{1,2}, David Jay², Heida Diefenderfer³, Stefan Talke⁴

¹Coastal Geologic Services, Bellingham, WA

²Portland State University, Portland, OR

³Pacific Northwest National Laboratory, Sequim, WA

⁴California Polytechnic State University, San Luis Obispo, CA

*Presenting author (email: will@coastalgeo.com)





Why do we care and what to do?


Salmon matter Salmon habitat is changing We need to understand how salmon habitat is changing


Path to Increased Understanding

Investigate magnitude and causes of long-term changes in shallow water habitat area (SWHA) in the Lower Columbia River and Estuary (LCRE)

Evaluate influence of external stressors on SWHA in the LCRE

Background






Methods


- Hindcast Water Levels
- Hindcast SWHA
- Attribute Changes in SWHA to Stressors

	Unaltered				Altered			
Factor	Model	Flows	Tides	Торо	Model	Flows	Tides	Торо
Levees	Per1	P1-n	P1	Con.	Per1	P1-n	P1	lso.
FNC	Per1	P1-n	P1	Con.	Per3	P1-n	P3+P4	Con.
FCRPS	Per1	P3-a	P1	Con.	Per1	Р3-о	P1	Con.
Irrigation	Per1	P3-n	P1	Con.	Per1	P3-a	P1	Con.
Climate Change	Per1	PO-n	P1	Con.	Per3	P3-n	P1	Con.
Total Loss	Per1	P1-n	P1	Con.	Per3	Р3-о	P3	lso.
Subsidence	Per1	P1-n	P1	Con.+Subs.	Per1	P1-n	P1	Con.

SWHA


- Naturalized → peak
 SWHA during freshet
- Observed → SWHA more spread out
- Isolation results in substantially reduced SWHA





Subsidence

- Greater assumed subsidence → more SWHA from historical to modern periods
- Subsidence Matters!



Implications

Floodplain Isolation Reconnection Climate and Future Flows Subsidence and Infill

Acknowledgements

- BPA for funding the study
- PNNL for management and project resources
 - Amy Borde
 - Shon Zimmerman