FINAL REPORT

LOWER COLUMBIA RIVER



BI-STATE PROGRAM

DATA MANAGEMENT DATA MANAGEMENT SYSTEMS DEMONSTRATION REPORT

DECEMBER 30, 1993

Prepared By: TETRA TECH

TETRA TECH

FINAL REPORT TC 9161-04

DATA MANAGEMENT DATA MANAGEMENT SYSTEMS DEMONSTRATION REPORT

DECEMBER 30, 1993

Prepared For:

The Lower Columbia River Bi-State Water Quality Program

Prepared By:

TETRA TECH 15400 NE 90th, SUITE 100 REDMOND, WASHINGTON 98052-3521 ACCESSIBILITY INFORMATION: THIS PUBLICATION IS AVAILABLE IN ALTERNATE FORMAT (E.G., LARGE PRINT, BRAILLE) UPON REQUEST. PLEASE CONTACT EITHER ED SALE IN OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY'S PUBLIC AFFAIRS OFFICE AT (503) 229-5766, OR KURT HART IN WASHINGTON DEPARTMENT OF ECOLOGY'S PUBLIC AFFAIRS OFFICE AT (206) 459-6712 TO REQUEST AN ALTERNATE FORMAT

CONTENTS

Page
FIGURES
ГАBLES
ACKNOWLEDGEMENTS iii
1.0 INTRODUCTION
2.0 DATA MANAGEMENT TASK BACKGROUND
2.1 BACKGROUND AND STUDY OBJECTIVES
2.2 REPORTS AND PROCESS-TO-DATE
2.2.1 Data Management Needs Assessment 3 2.2.2 Data Management System Evaluation and Recommendations 5
3.0 SUMMARY OF PSAMP SYSTEM DEMONSTRATION
3.1 SUMMARY OF SHORT-TERM NEEDS AND OPTIONS
3.1.1 Summary of Workshop Participant Discussions
3.2 SUMMARY OF MEDIUM-TERM NEEDS AND OPTIONS
3.2.1Maintain the Data Archive103.2.2Select a Database System to be Managed by the Bi-State Program113.2.3Select a Database System Managed by Another Organization133.2.4Summary of Workshop Participant Discussions13
3.3 SUMMARY OF LONG-TERM NEEDS AND OPTIONS
. 3.3.1 Summary of Workshop Participant Discussions
4.0 SYSTEM DEMONSTRATION SUMMARY AND RECOMMENDATIONS 16
5.0 REFERENCES

i

Page

FIGURES

Number		Page
1	Short-term data management options and recommended approach	10
2	Organization of files for sediment data transfer	12
3	Title page of PSAMP data transfer format specifications	13
4	Printout from a file in PSAMP data transfer format	15
5	Printout of Columbia River sediment survey station data loaded to Excel	16
6	Printout of Columbia River sediment survey data loaded to Microsoft Access	17
7	Medium-term data management options and recommended approach	19
8	PSAMP database system main menu	22
9	PSAMP database system, sample screen for loading data	23
10	PSAMP database system, sample screen showing specifications for generating a report	24
11	PSAMP database system, sample report output	25
12	Schematic diagram of ideal long-term system	29
13	Sample screen showing a Microsoft Access retrieval of Columbia river crayfish and sucker pesticide data from PSAMP files	30

TABLES

Page

<u>Number</u>

1	Data management system demonstration list of attendees, November 2, 1993 2
2	Data management task: list of deliverables 5

ii

ACKNOWLEDGEMENTS

This document was prepared by Tetra Tech, Inc. of Redmond, Washington and Ms. Roberta Feins, an independant environmental information consultant, for the Lower Columbia River Bi-State Water Quality Program under Contract Nos. C0091228 (WDOE) and 78-91 (ODEQ). Mr. Brian Offord of Oregon Department of Environmental Quality (ODEQ) and Mr. Neil Aaland of Washington Department of Ecology (WDOE) served as the Program Coordinators for the Bi-State Program. Dr. Steven Ellis served as Tetra Tech's Program Manager for the Lower Columbia River project. Mr. Gary Braun of Tetra Tech served as the Project Manager for this Work Assignment. Funding for this project was provided to the Bi-State Program by WDOE, ODEQ, public ports in Washington and Oregon, and the Northwest Pulp and Paper Association.

Mr. Gary Braun was the primary author of the report. Contributions to the report were provided by Ms. Roberta Feins. Technical review was provided by Dr. Steven Ellis. Illustrations were prepared by Ms. Kim Shaty. Word Processing and report production were performed by Ms. Lisa Fosse and Ms. Rosemary O'Brien. Copies of the draft version of this report were given to the attendees of the data management systems demonstration held on November 2, 1993 and members of the Bi-State Committee for review.

1.0 INTRODUCTION

This report provides a written summary of the Data Management Task System Demonstration that was presented to members of the Lower Columbia River Bi-State Program Steering Committee and other interested work group participants on November 2, 1993. A list of attendees is included as Table 1.

The demonstration was (and this report is) divided into three general areas as follows:

A brief description of the Data Management Task background, including the purpose and objectives of the task, the reports produced, and the interactive process that has taken place to date.

The demonstration of the Puget Sound Ambient Monitoring Program (PSAMP) system. This was the main focus of the demonstration and included a review of the short-, medium-, and long-term needs and options recommended in earlier reports. The demonstration focused on the short-term option; the selection of PSAMP data transfer formats as the standard to be used in the future. In addition, the PSAMP system was used to demonstrate some of the capabilities that would be useful for medium-term Bi-State Program needs, as well as, longer-term Program needs.

The final portion of the demonstration was spent on questions and discussion about using the PSAMP data transfer formats as the recommended format for all future Bi-State Program data. A consensus agreement was reached by the work group and committee members present to make a recommendation to the full Bi-State Steering Committee.

Each of these topics is discussed in greater detail in the following sections of this report.

TABLE 1. DATA MANAGEMENT SYSTEM DEMONSTRATIONLIST OF ATTENDEES, NOVEMBER 2, 1993.								
NAME	ORGANIZATION							
Bill Young	ODEQ							
Andy Schaedel	ODEQ							
Howard Knytych	ODEQ/Information Services							
Don Yon	ODEQ, Program Coordinator							
Doug Terra	ODEQ							
Kate Dempsey	Ecology							
Aaron Purcell	Ecology							
Brain Offord	Ecology; Program Coordinator							
Stu McKenzie	USGS, Bi-State Member							
Jerry Heller	Port of Kalama; Bi-State Co-Chair							
Alan Whitford	Longview Fibre Co; Bi-State Member							
Gary Braun	Tetra Tech, Inc.							
Roberta Feins	Consultant							

2.1 BACKGROUND AND STUDY OBJECTIVES

A major objective of the Lower Columbia River Bi-State Water Quality Program (Bi-State Program) is to collect environmental data for evaluating the water quality of the lower Columbia River. Studies performed under the Bi-State Program have in the past, and will in the future, produce data on a variety of topics. The Bi-State Program recognized the need to develop a framework for managing this information because they also recognized the need for continued monitoring and an ongoing need for information to support the management decisions of the Bi-State Program and of various agencies involved in the management of the lower river. Therefore, in the fall of 1992, the Bi-State Program issued this work assignment to help define its data management system.

A data management system will help to store and use data effectively. Major issues related to data management that the Bi-State Program needs to address include:

- Deciding how to store, organize, analyze, and display both existing and newly collected data (i.e., from the Bi-State Studies, as well as data from other agencies and sources).
- Making the data available to other agencies and entities that manage the Lower Columbia River and its resources.
- Making the data accessible to the public.

The purpose of the Data Management Task was to identify the data management needs and design options for the long-term management of existing and new data (e.g., water, sediment, and biological quality, source and beneficial use data) generated by the Bi-State Program. Additional purposes were to recommend an existing data management system to best meet these needs and demonstrate the system's capabilities. To meet these objectives, the work assignment was divided into four tasks:

- Development of a Work Plan
- Performance of a Data Management Needs Assessment
- Evaluation and Recommendation of a Data Management System
- Demonstration of the Selected System and Report Preparation (this document).

The specific steps involved in each of these tasks are discussed in separate documents previously prepared for the project (Tetra Tech 1992; 1993a,b) (Table 2). Only brief summaries of each document are provided herein to give the reader enough background to understand how the recommendations were made and how the system was selected for demonstration.

2.2 REPORTS AND PROCESS-TO-DATE

As discussed above, the data management task was divided into four major tasks. Several reports were generated for review and approval by the work group and Bi-State Committee members. A list of these reports are shown in Table 2. To date, 12 deliverables (including draft and final reports) have been submitted to, and accepted by, the Bi-State Program. Of these, the final Data Needs Assessment Report and the final Systems Evaluation and Recommendations Report will be discussed briefly below.

2.2.1 Data Management Needs Assessment

The main purpose of the data management needs assessment was to identify important criteria and factors to consider in the evaluation and recommendation of existing data management systems for the Bi-State Program. The needs assessment was completed in February, 1993 (Tetra Tech 1993a). The Programatic Needs assessment (Webster 1992) and a series of interviews were used to provide different views of an optimal data management strategy for the Bi-State Program.

TABLE 2. DATA MANAGEMENT TASK: LIST OF DELIVERABLES							
Deliverables Submittal Date							
Draft Work Plan	9/4/92						
Final Work Plan	10/21/92						
Outline of Needs Assessment Report	10/29/92						
Final Outline	11/23/92						
Draft Needs Assessment Report	1/4/93						
Final Needs Assessment Report	2/10/93						
Draft List of Systems to Review	2/11/93						
Final List of Systems to Review	3/9/93						
Draft Evaluation and Recommendation Report	4/16/93						
Final Evaluation and Recommendation Report	5/28/93						
Progress Report on Data Entry	9/30/93						
System Demonstration	11/2/93						
Draft System Demonstration Report	11/19/93						
Final System Demonstration Report	12/30/93						

The Needs Assessment had two primary objectives:

- Identify key programatic and technical issues to effectively manage data for the Bi-State
 Program
- Develop a list of elements that could be used to evaluate the ability of existing data management systems to meet the needs of the Bi-State Program.

Programatic issues considered in the needs assessment included program objectives and institutional requirements, program longevity, and economic constraints and long-term funding options. The technical issues considered in the needs assessment included system location, operation, and maintenance; system compatibility; database design; and data accessibility. A wide list of user needs and requirements was defined and were further broken down into those needed to meet short- and long-term Bi-State Program objectives. Elements of a potential data management system were categorized as required or preferred.

The list of evaluation criteria and time scales were further refined through discussions with work group members and resulted in the identification of short-, medium-, and long-term data management objectives for the Bi-State Program needs:

- Short-term (2 months 1 year) data management objectives are to manage the data that have been collected or compiled through the program itself (e.g., reconnaissance survey data).
- Medium-term (1 5 years) data management objectives include managing, analyzing, and distributing data collected by the program and other related data about the lower Columbia River, encouraging the distribution of information on the lower River to interested parties - including the public and other agencies.
- Long-term (greater than 5 years) data management objectives of the Bi-State Program are to ensure cooperative sharing of all available information on the lower river, in order to improve environmental decision making.

The modified time scales and modified list of elements were then used to evaluate existing systems for use by the Bi-State Program.

2.2.2 Data Management System Evaluation and Recommendations

The data management systems evaluation and recommendations report had two major objectives:

- Evaluate existing data management systems according to the criteria developed by the needs assessment, as modified through work group meetings.
- Develop recommendations for data management systems to meet the short-, medium-, and long-term data management needs.

Recommendations were made for each time scale based on the evaluation of each system compared to the required, preferred, and technical elements that were defined previously. Briefly, the results for each time scale are summarized below. Each of these are discussed in greater detail in Tetra Tech (1993b) and in Section 3.0 of this document.

- Short-term: An existing data transfer format or archive is the recommended approach. The PSAMP data formats are recommended. The Oregon GIS standards are recommended for GIS data.
- Medium-term: Three approaches were identified and recommendations for each alternative approach were made.
 - Maintain data in the archive format selected for short-term. PSAMP format was recommended.
 - Place Bi-State Program data into an existing data management system that is managed and maintained by the Bi-State Program. PSAMP and COMPAS systems are possible choices.

- Place Bi-State Program data into an existing system that is managed and maintained by another organization. If a federal system is selected, ODES is recommended. If a local system is selected, then CRCIS is an attractive alternative.
- Long-term: Develop a committee of State and Federal data experts to explore the use of wide-area networks.

3.0 SUMMARY OF PSAMP SYSTEM DEMONSTRATION


This section provides summaries and discussion of the viewgraphs and copies of the computer screens that were used as part of the system demonstration. In addition, summaries of the questions and discussions raised by workshop participants are included at the end of each subsection.

3.1 SUMMARY OF SHORT-TERM NEEDS AND OPTIONS

The Bi-State Program's short-term needs are to manage the data that have been collected to date by the Bi-State Program itself. These data are monitoring data that were collected during the Reconnaissance survey, and data that will be collected in the next year.

Figure 1 shows the decisions to be made in selecting a short-term approach. Placing monitoring data into an existing data archive or data transfer format would be the best approach to meeting short-term needs. Examples of data archives are Storet and the Ocean Data Evaluation System (ODES) data submittal format. Examples of data transfer formats are the format used to submit data to Storet or ODES.

The advantages and disadvantages of using a data archive vs a data format were discussed. A data archive is attractive in that it is centrally maintained, and usually accessible to users. Bi-State Program staff would not have to maintain the data but could direct users to the archives. Major disadvantages of archives are that submitters may be charged for loading their data to the archive (e.g., it would cost about \$7,000 to transfer Reconnaissance survey data to ODES), and that some kinds of information may not be stored (i.e., Storet has limited ability to store biological data).



A data transfer format is therefore recommended for storing data in the short-term. Data transfer formats have the advantage of allowing a user to move the data into whatever database, spreadsheet or other software they find useful. There is a low cost to the Bi-State Program in using the formats, since contractors can be required to submit formatted data files as a project deliverable.

A number of different available formats were evaluated. Desirable characteristics of a transfer format are:

- Data are adequately documented,
- Data are logically organized,
- The format itself is well-documented
- Data are easy to transfer into software such as databases, and spreadsheets.

The data transfer formats used by the Puget Sound Ambient Monitoring Program (PSAMP) are recommended as the best for program needs. These formats include specifications for transferring data on sediments, fish, shellfish, water, marine mammals and birds. Features of the formats include:

- Data are adequately documented by references to the original survey report, by extensive station location and sampling information, by information on analytical methods, data quality, data qualifiers and significant digits.
- Data are logically organized (Figure 2 shows the relationship among files used to report data from a sediment survey).
- The format is documented in a report (Figure 3)
- Data are stored in comma-delimited ASCII files which can easily be used to transfer the data into many different software packages.




Figure 2. Organization of Files for Sediment Data Transfer.

PUGET SOUND AMBIENT MONITORING PROGRAM

DATA TRANSFER FORMATS

VERSION 2

FEBRURARY 1991

PUGET SOUND WATER QUALITY AUTHORITY PSAMP STEERING COMMITTEE P.O. BOX 40900 OLYMPIA, WA 98504-0900

Figure 3. Title Page of PSAMP Data Transfer Format Specifications.

The ease of transferring data was demonstrated. Figure 4 shows a printout of a portion of a file used for reporting monitoring station names and locations. During the demo, this file was easily loaded into Excel (Figure 5), Microsoft Access (Figure 6), and into a Dbase application (the PSAMP database system).

3.1.1 Summary of Workshop Participant Discussions

Is sufficient data quality information required by the PSAMP format?

Generally, the formats provide more quality information than Storet formats, but do not provide as much detail as a specialist (e.g., a chemist) might like.

What are the costs to put data into this format?

Costs are minimal (less than \$5,000 per year), if contractors know the requirement in advance and plan ahead to collect and format the necessary information.

Why are these formats preferable to Storet format?

Storet formats are based on 80-column punch cards, and are hierarchical: therefore, not easy for microcomputer software such as Excel to read. Storet formats are not designed to deal with biological data and do not store adequate quality assurance information.

Where can documentation of the PSAMP formats be obtained?

Copies of the specifications are available from the Puget Sound Water Quality Authority in Olympia, WA.

What are the costs of not making a decision on a recommended format?

Waiting to select a reporting format will result in higher costs to reformat and document data later on.

Is Ecology comfortable with use of the formats?

"CRSEDS", "D1", "", "", "L", "", 4612.274,12356.986,,,,,, "", "9201 "CRSEDS", "D10", "", "", "L", "", 4612.198,12326.639,,,,,, "", "9201 "CRSEDS", "D11", "", "", "L", "", 4614.49,12332.91,,,,,, "", "92010 "CRSEDS", "D12", "", "", "L", "", 4612.463,12323.375,,,,, "", "92010 "CRSEDS", "D14", "", "L", "", 4612.463,12323.424,,,,, "", "92010 "CRSEDS", "D15", "", "L", "", 4608.914,12323.424,,,,, "", "920 "CRSEDS", "D15", "", "L", "", 4608.914,12323.424,,,,, "", "920 "CRSEDS", "D16", "", "L", "', 4608.347,12313.934,,,,, "", "920 "CRSEDS", "D16", "", "", "L", "", 4608.347,12313.934,,,,, "", "920 "CRSEDS", "D16", "", "", "L", "', 4608.347,12313.934,,,,, "", "920 "CRSEDS", "D16", "", "", "L", "', 4608.32,12300.52,,,, "", "9201 "CRSEDS", "D19", "", "L", "", 4603.596,12252.106,,,,, "", "9201 "CRSEDS", "D20', "", "L", "", 4603.596,12252.106,,,,, "", "920 "CRSEDS", "D22", "", "L", "", 4604.324,12253.934,,,, "", "920 "CRSEDS", "D22", "", "L", "", 4503.408,12246.648,,,,, "", "920 "CRSEDS", "D24", "", "L", "", 4546.921,12246.648,,,,, "", "920 "CRSEDS", "D26", "", "L", "", 4546.921,12246.648,,,,, "", "9201 "CRSEDS", "D26", "", "L", "", 4546.12244.648,,,,, "", "9201 "CRSEDS", "D26", "", "L", "", 4546.12244.648,,,,, "", "9201 "CRSEDS", "D26", "", "L", "", 4546.12244.688,,,,, "", "9201 "CRSEDS", "D26", "", "L", "", 4546.12244.688,,,,, "", "920101" "CRSEDS", "D26", "", "L", "", 4536.678,12247.613,,,,, "", "9201 "CRSEDS", "D26", "", "L", "", 4536.678,12247.613,,,,, "", "9201 "CRSEDS", "D30", "", "L", "", 4536.678,12237.613,,,,, "", "9201 "CRSEDS", "D30", "", "L", "", 4536.678,12237.613,,,,, "", "9201 "CRSEDS", "D31", "", "L", "", 4538.661,12244.68,,,, "", "9201 "CRSEDS", "D34", "", "L", "", 4533.661,12247.614,,,, "", "9201 "CRSEDS", "D34", "", "L", "", 4533.661,12247.611,,,,, "", "9201 "CRSEDS", "D34", "", "L", "", 4533.661,12246.761,,,,, "", "9201	01" I
	101"
CRSEDS, DIU, C, C, C, 4012.190,12320.039,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 9 I
"CRSEDS", "D11", "", "L", "", 4614.49,12332.91,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>.</u>
"CRSEDS","D12","","","L","",4612.463,12323.375,,,,,"","920	101"
"CRSEDS", "D13", "", "L", "", 4609.78, 12320.14, , , , , , , "", "92010	1"
"CRSEDS", "D14", "", "L", "", 4608, 914, 12323, 424, , , , , , "", "920	101"
"CPSEDS" "D15" "" "" "T" "" 4608 347 12313 934	101"
	1011
"CRSEDS", "D16", ", ", "L", ", 4611.244,12303.429,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4.01
"CRSEDS", "D17", "", "L", "", 4609.87, 12302.76, , , , , ", "92010	1 " I
"CRSEDS","D18","","","L","",4607.429,12301.307,,,,,,"","920	101"
"CRSEDS","D19","","L","",4608.32,12300.52,,,,,,"","92010	1"
"CRSEDS" "D2" "" "" "L" "" 4618.042.12402.494"","9201	01"
	101"
CRSEDS, $D20$, , , D , T	1017
CRSEDS, DZI, , , , , , , , , , , , , , , , , , ,	1010
"CRSEDS", "D22", "", "", "L", "", 4600.584,12250.907,,,,,, 920	101
"CRSEDS", "D23", "", "", "L", "", 4557. 378, 12248.058, , , , , "", "920	101"
"CRSEDS", "D24", "", "", "L", "", 4552.0, 12247.8, , , , , , "", "920101"	
"CRSEDS" "D25" "", "L", "", 4550, 408, 12246, 648,, "", "920	101"
"CPERDEN "D26" "" "" "T" "" 4546 921 12246 156 "" "920	101"
	ñ1"
CRSEDS', DZ', , , , , , , , , , , , , , , , , , ,	011
"CRSEDS", "D28", "", "L", ", 4541.195,12246.14,,,,,, 9201	
"CRSEDS","D29","","","L","",4540.12,12245.86,,,,,,"","92010	1"
"CRSEDS","D3","","","L","",4610.90,12351.72,,,,,,"","920101	11
"CRSEDS" "D30" "" "L" "L" 4538.46,12244.68,,,,,,"","92010	1"
"CPSEDS" "D31" "" "L" "L" 4536.41.12240.48"" "92010	1"
	1.1
(RSEDS, (DS2, (1, 1), 1), (1, 3), (3), (2), (2), (3), (3), (3), (3), (3), (3), (3), (3	101"
"CRSEDS", "D33", ", ", "L", ", 4536.678,12237.613,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	101
"CRSEDS", "D34", "", "", "L", "", 4535.604, 12233.982, , , , , , " 920	101.
"CRSEDS","D35","","","L","",4534.62,12226.781,,,,,,"","9201	01"
"CRSEDS", "D36", "", "", "L", "", 4533.516, 12227.441, , , , , , "", "920	101"
"CRSEDS" "D37" "" "L" "L" 4534.589.12223.73, "", "9201	01"
"CPSEDS" "D38" "" "" "T" "" 4533 464 12220.052"" "920	101"
	101"
CRSEDS, D39, C, L, 4332.004,12213.721,,,,,, 1920	01
"CRSEDS", "D4", ", ", "L", ", 4615.981,12338.201,,,,,, 9201	
"CRSEDS", "D40", "", "", "L", "", 4537.327,12201.210, , , , , , ", "920	101.
"CRSEDS", "D4", "", "L", "", 4532.004,12213.721,7,7,7,7,920 "CRSEDS", "D4", "", "L", "", 4615.981,12358.261,,,,,,,"", "9201 "CRSEDS", "D40", "", "L", "", 4537.327,12201.210,,,,,,"", "9201 "CRSEDS", "D41", "", "L", "", 4534.62,12226.781,,,,,,,"", "9201 "CRSEDS", "D42", "", "L", "", 4541.195,12246.14,,,,,,"", "9201	01"
"CRSEDS", "D42", "", "", "L", "", 4541.195,12246.14,,,,,,,"", "9201	01"
"CRSEDS", "D43", "", "", "L", "", 4557.378,12248.058,,,,,,"", "920 "CRSEDS", "D44", "", "L", "", 4609.87,12302.76,,,,,,"", "92010 "CRSEDS", "D45", "", "L", "L", 4614.49,12332.91,,,,,,"", "92010	101"
"CRSEDS", "D44", "", "L", "", 4609.87, 12302.76, ,, ,, "", "92010	1.11
	111
"CRSEDS", "D45", "", "", "L", "", 4614.49, 12332.91, , , , , , "", "92010	1 11
	1
"CRSEDS","D5","","","L","",4611.638,12342.104,,,,,,"","9201	01"
"CRSEDS","D6","","","L","",4617.882,12343.113,,,,,,"","9201	01"
"CRSEDS", "D7", "", "L", "", 4613.019, 12341.505, , , , , , "", "9201	01"
"CPSEDS" "D8" "" "" "T" "" 4613 695 12335 223	01"
"CDCDDD , DO , , , , I , , , 1010,000,22000,220,,,,,,,, , , , , , , , ,	и
עבפאר אין אין אראינגיואנאנאנאנאין און אין אין אין אראיגערייט אין אין אראיעראין און און און און און און און און אין און און און און און און און און און או	01 II
"CRSEDS", "D46", "", "", "L", "", 4610.90,12331.72,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1011
"CRSEDS","E10","","","L","",4540.518,12246.529,,,,,"","920	101"
"CRSEDS","E10","","","L","",4540.518,12246.529,,,,,,"","920 "CRSEDS","E11","","L","",4538.448,12243.011,,,,,"","920	101"

5

Figure 4. Printout From a File in PSAMP Data Transfer Format. File Reports Station Locations.

•

CRSEDS D1 L 4612,274 1236,69 920101 CRSEDS D10 L 4612,495 1232,64 920101 CRSEDS D11 L 4612,493 1232,33 920101 CRSEDS D12 L 4608,914 1232,34 920101 CRSEDS D14 L 4608,914 1232,42 920101 CRSEDS D15 L 4608,914 1232,42 920101 CRSEDS D16 L 4611,244 1230,43 920101 CRSEDS D17 L 4608,327 1230,52 920101 CRSEDS D19 L 4608,326 1226,11 920101 CRSEDS D2 L 4604,324 12422,49 920101 CRSEDS D2 L 4604,324 12226,01 920101 CRSEDS D2 L 4604,324 12242,93 920101 CRSEDS D2 L 4604,327 12246,65 920101						
CRSEDS DID L 4612.188 2226.64 920101 CRSEDS D11 L 4612.463 1232.91 920101 CRSEDS D12 L 4612.463 1232.3.8 920101 CRSEDS D13 L 4608.914 1232.3.4 920101 CRSEDS D15 L 4608.914 1232.3.4 920101 CRSEDS D15 L 4608.847 1232.3.4 920101 CRSEDS D16 L 4611.244 1230.7.6 920101 CRSEDS D18 L 4603.827 1230.7.6 920101 CRSEDS D18 L 4603.842 1230.43 920101 CRSEDS D14 L 4603.847 1226.76 920101 CRSEDS D21 L 4603.847 1225.3 920101 CRSEDS D22 L 4604.324 12263.96 920101 CRSEDS D23 L 4557.378 12248.06 92010	CRSEDS	D1 L		4612.274	12356 99	920101
CRSEDS D11 L 4812.463 1232.31 920101 CRSEDS D12 L 4612.463 1232.34 920101 CRSEDS D13 L 4609.76 1232.014 920101 CRSEDS D14 L 4609.76 1232.014 920101 CRSEDS D16 L 4609.491 1232.33 920101 CRSEDS D16 L 4609.497 1230.31 920101 CRSEDS D18 L 4607.429 920101 CRSEDS 920101 CRSEDS D19 L 4603.396 12301.31 920101 CRSEDS D2 L 4603.492 1242.49 920101 CRSEDS D2 L 4604.324 1242.61 920101 CRSEDS D23 L 4603.596 1224.06 920101 CRSEDS D24 L 4552 1224.06 920101 CRSEDS D24 L 4552 1224.06 <t< td=""><td>L</td><td>The second se</td><td></td><td>1 · · · · · · · · · · · · · · · · · · ·</td><td></td><td></td></t<>	L	The second se		1 · · · · · · · · · · · · · · · · · · ·		
CRSEDS D12 L 4612.463 12323.14 920101 CRSEDS D14 L 4609.76 12320.14 920101 CRSEDS D14 L 4608.914 12323.42 920101 CRSEDS D15 L 4608.347 12305.43 920101 CRSEDS D16 L 4611.244 12307.46 920101 CRSEDS D18 L 4604.322 12301.31 920101 CRSEDS D19 L 4603.596 12252.11 920101 CRSEDS D2 L 4603.596 1225.13 920101 CRSEDS D2 L 4603.596 1226.11 920101 CRSEDS D21 L 4603.596 1224.78 920101 CRSEDS D22 L 4603.596 1224.78 920101 CRSEDS D22 L 4657.378 1224.665 920101 CRSEDS D24 L 4556.402 1224.665 920101			÷		•	•
CRSEDS D13 L 4609.78 1220.14 920101 CRSEDS D14 L 4608.914 1223.42 920101 CRSEDS D16 L 4608.347 1233.33 920101 CRSEDS D16 L 4609.47 1230.276 920101 CRSEDS D18 L 4607.429 12301.31 920101 CRSEDS D18 L 4607.429 12301.31 920101 CRSEDS D19 L 4604.324 12252.11 920101 CRSEDS D20 L 4604.324 12253.93 920101 CRSEDS D21 L 4604.324 12247.9 920101 CRSEDS D22 L 4605.578 920101 CRSEDS 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D26 L 4545.07 12247.8 920101 CRSEDS D26 L 4556.068 920101		,				
CRSEDS D14 L 4608.914 12323.42 920101 CRSEDS D15 L 4608.347 12313.33 920101 CRSEDS D16 L 4609.47 12302.76 920101 CRSEDS D17 L 4609.47 12302.76 920101 CRSEDS D19 L 4603.52 12300.52 920101 CRSEDS D2 L 4618.042 12402.49 920101 CRSEDS D21 L 4604.324 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4604.324 12248.06 920101 CRSEDS D23 L 4557.376 12248.06 920101 CRSEDS D24 L 4569.377 12246.16 920101 CRSEDS D26 L 4546.927 12246.16 920101 CRSEDS D26 L 4545.27 12246.67 9201			•			
CRSEDS D15 L 4608.347 1231.33 920101 CRSEDS D16 L 460.327 12305.43 920101 CRSEDS D17 L 4609.327 12302.76 920101 CRSEDS D18 L 4607.429 12301.31 920101 CRSEDS D2 L 4603.527 12402.49 920101 CRSEDS D20 L 4603.566 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4600.584 12247.9 920101 CRSEDS D23 L 4552 12247.8 920101 CRSEDS D24 L 4564.068 12247.8 920101 CRSEDS D26 L 4545.07 12246.65 920101 CRSEDS D26 L 4546.921 12246.86 920101 CRSEDS D28 L 4541.951 12247.86 920101 <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td>				•		
CRSEDS D16 L 4611.244 12305.43 920101 CRSEDS D17 L 4609.47 12302.76 920101 CRSEDS D19 L 4609.427 12301.31 920101 CRSEDS D19 L 4603.32 12300.52 920101 CRSEDS D2 L 4603.542 12402.49 920101 CRSEDS D20 L 4603.542 12252.11 920101 CRSEDS D21 L 4603.542 12248.06 920101 CRSEDS D23 L 4605.576 12247.8 920101 CRSEDS D24 L 4557.376 12248.65 920101 CRSEDS D25 L 4569.271 12246.65 920101 CRSEDS D26 L 4546.921 12246.16 920101 CRSEDS D27 L 4546.921 12246.16 920101 CRSEDS D28 L 4546.27 12246.67 9201			• •			
CRSEDS D17 L 4609.87 12301.31 920101 CRSEDS D18 L 4607.429 12301.31 920101 CRSEDS D2 L 4603.582 12300.31 920101 CRSEDS D2 L 4603.584 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4604.324 12250.91 920101 CRSEDS D23 L 4557.376 12246.66 920101 CRSEDS D25 L 4550.408 12246.67 920101 CRSEDS D25 L 4540.921 12246.67 920101 CRSEDS D26 L 4540.12 12246.67 920101 CRSEDS D29 L 4540.12 12246.67 920101 CRSEDS D30 L 4530.41 12244.68 920101 CRSEDS D31 L 4533.67 12237.61 920101						
CRSEDS D18 L 4607.429 12301.31 920101 CRSEDS D19 L 4608.32 12300.52 920101 CRSEDS D2 L 4608.32 12300.52 920101 CRSEDS D20 L 4603.596 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4600.536 12245.06 920101 CRSEDS D23 L 4557.378 12246.66 920101 CRSEDS D24 L 4562 12246.16 920101 CRSEDS D25 L 4545.27 12246.16 920101 CRSEDS D26 L 4545.27 12246.16 920101 CRSEDS D30 L 4532.641 12245.86 920101 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
CRSEDS D19 L 4608.32 12300.52 920101 CRSEDS D2 L 4608.32 12402.49 920101 CRSEDS D21 L 4608.324 12253.93 920101 CRSEDS D22 L 4600.584 12250.91 920101 CRSEDS D23 L 4557.376 12244.06 920101 CRSEDS D24 L 4552 12247.6 920101 CRSEDS D25 L 4550.408 12246.67 920101 CRSEDS D26 L 4540.72 12246.67 920101 CRSEDS D28 L 4540.12 12246.67 920101 CRSEDS D29 L 4560.41 12248.66 920101 CRSEDS D30 L 4504.12 12246.67 920101 CRSEDS D31 L 4536.461 12240.48 920101 CRSEDS D32 L 4536.678 12237.61 920101						· · · · ·
CRSEDS D2 L 4618.042 12402.49 920101 CRSEDS D20 L 4603.596 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4507.378 12248.06 920101 CRSEDS D23 L 4557.378 12248.06 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D25 L 4552 12246.65 920101 CRSEDS D26 L 4546.921 12246.14 920101 CRSEDS D28 L 4541.195 12245.86 920101 CRSEDS D28 L 4546.921 12245.86 920101 CRSEDS D3 L 4536.122 12245.86 920101 CRSEDS D3 L 4538.46 12240.48 920101 CRSEDS D31 L 4536.678 12237.61 920101 CRSEDS D32 L 4536.674 12237.61 920101			• • •• • ••••			
CRSEDS D20 L 4603.596 12252.11 920101 CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4600.584 12240.66 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D26 L 4550.400 12246.65 920101 CRSEDS D26 L 4549.21 12246.16 920101 CRSEDS D28 L 4541.195 12246.16 920101 CRSEDS D28 L 4541.195 12246.67 920101 CRSEDS D3 L 4541.195 12246.86 920101 CRSEDS D3 L 4531.72 920101 CRSEDS D3 L 4536.678 12237.61 920101 CRSEDS D31 L 4536.674 12237.61 920101 CRSEDS D34			· .	14 14 14 14 14 14 14 14		•
CRSEDS D21 L 4604.324 12253.93 920101 CRSEDS D22 L 4607.578 12248.06 920101 CRSEDS D24 L 4557.378 12248.06 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D25 L 4560.408 12246.65 920101 CRSEDS D26 L 4546.921 12246.16 920101 CRSEDS D28 L 4541.195 12246.67 920101 CRSEDS D28 L 4540.12 12246.67 920101 CRSEDS D28 L 4541.195 12246.67 920101 CRSEDS D30 L 4540.12 12245.86 920101 CRSEDS D30 L 4538.46 12241.68 920101 CRSEDS D31 L 4536.76 12237.61 920101 CRSEDS D32 L 4535.677 12237.61 920101 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
CRSEDS D22 L 4600.584 12260.91 920101 CRSEDS D23 L 4557.376 12246.06 920101 CRSEDS D24 L 4550.476 12246.65 920101 CRSEDS D25 L 4560.408 12246.65 920101 CRSEDS D26 L 4546.921 12246.16 920101 CRSEDS D27 L 4545.27 12246.14 920101 CRSEDS D28 L 4541.195 12246.14 920101 CRSEDS D29 L 4534.612 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D3 L 4536.641 12230.54 920101 CRSEDS D32 L 4537.678 12237.61 920101 CRSEDS D33 L 4536.674 12237.81 920101 CRSEDS D36 L 4533.516 12226.78 9201						
CRSEDS D23 L 4557.378 12248.06 920101 CRSEDS D24 L 4552 12247.8 920101 CRSEDS D25 L 4560.408 12246.16 920101 CRSEDS D26 L 4545.27 12246.16 920101 CRSEDS D27 L 4545.27 12246.16 920101 CRSEDS D28 L 4541.195 12246.18 920101 CRSEDS D28 L 4540.12 12245.86 920101 CRSEDS D30 L 4610.9 12351.72 920101 CRSEDS D30 L 4536.678 12239.54 920101 CRSEDS D31 L 4536.678 12239.54 920101 CRSEDS D32 L 4536.678 12237.61 920101 CRSEDS D33 L 4533.516 12227.44 920101 CRSEDS D34 L 4533.4516 12227.678 920101<			÷			
CRSEDS D24 L 4552 12247.8 920101 CRSEDS D25 L 4550.408 12246.65 920101 CRSEDS D26 L 4546.921 12246.16 920101 CRSEDS D27 L 4545.27 12246.67 920101 CRSEDS D28 L 4540.12 12245.86 920101 CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D30 L 4530.72 920101 CRSEDS D30 L 4536.41 12245.86 920101 CRSEDS D30 L 4536.671 12237.61 920101 CRSEDS D31 L 4536.671 12237.61 920101 CRSEDS D33 L 4534.62 12226.78 920101 CRSEDS D34 L 4533.516 12227.44 920101 CRSEDS D37 L 4534.589 12226.78 920101 CRSEDS			•••••••••••••••••••••••••••••••••••••••			
CRSEDS D25 L 4550.408 12246.65 920101 CRSEDS D26 L 4546.921 12248.16 920101 CRSEDS D27 L 4545.27 12246.16 920101 CRSEDS D28 L 4541.195 12245.86 920101 CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4536.41 12244.68 920101 CRSEDS D31 L 4536.41 12247.48 920101 CRSEDS D32 L 4536.678 12237.61 920101 CRSEDS D33 L 4536.678 12237.81 920101 CRSEDS D34 L 4536.678 12237.98 920101 CRSEDS D34 L 4534.62 12223.73 920101 CRSEDS D35 L 4534.589 12223.73 920101 CRSEDS D37 L 4532.604 12223.73 920101						
CRSEDS D26 L 4546.921 12246.16 920101 CRSEDS D27 L 4545.27 12246.67 320101 CRSEDS D28 L 4541.195 12246.14 920101 CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4538.46 12244.68 920101 CRSEDS D31 L 4536.678 12237.61 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.898 920101 CRSEDS D34 L 4536.678 12237.73 920101 CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D38 L 4533.464 12220.57 92010						
CRSEDS D27 L 4545.27 12246.67 920101 CRSEDS D28 L 4541.195 12246.14 920101 CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4538.46 12244.88 920101 CRSEDS D31 L 4536.41 12240.48 920101 CRSEDS D32 L 4536.678 12239.54 920101 CRSEDS D32 L 4535.604 12233.98 920101 CRSEDS D34 L 4535.604 12233.98 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D36 L 4534.62 12223.73 920101 CRSEDS D38 L 4534.62 12223.73 920101 CRSEDS D39 L 4534.62 12215.72 920101 CRSEDS D39 L 4532.604 12215.72 920101 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td>						•
CRSEDS D28 L 4541.195 12246.14 920101 CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4538.46 12240.48 920101 CRSEDS D31 L 4536.671 12239.54 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4533.6678 12237.61 920101 CRSEDS D35 L 4533.661 12227.44 920101 CRSEDS D36 L 4533.516 12227.73 920101 CRSEDS D38 L 4533.464 1220.05 920101 CRSEDS D38 L 4537.327 1220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4533.737 12201.21 92010						
CRSEDS D29 L 4540.12 12245.86 920101 CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4538.46 12244.68 920101 CRSEDS D31 L 4536.41 12240.48 920101 CRSEDS D32 L 4536.678 12237.61 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D35 L 4534.621 12226.78 920101 CRSEDS D35 L 4534.589 12237.33 920101 CRSEDS D36 L 4533.516 12220.05 920101 CRSEDS D37 L 4532.604 12215.72 920101 CRSEDS D38 L 4533.737 12201.21 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.78 92010			•		• •	• •
CRSEDS D3 L 4610.9 12351.72 920101 CRSEDS D30 L 4538.46 12244.68 920101 CRSEDS D31 L 4536.678 12239.54 920101 CRSEDS D32 L 4536.678 12239.54 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D35 L 4533.664 12237.81 920101 CRSEDS D35 L 4534.62 1222.7.44 920101 CRSEDS D36 L 4533.516 12227.7.44 920101 CRSEDS D37 L 4534.62 12210.57 920101 CRSEDS D38 L 4532.604 12215.72 920101 CRSEDS D38 L 4537.327 12201.21 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.78 92	ļ			•		
CRSEDS D30 L 4538.46 12244.68 920101 CRSEDS D31 L 4536.41 12240.48 920101 CRSEDS D32 L 4536.61 12239.54 920101 CRSEDS D33 L 4536.676 12237.61 920101 CRSEDS D34 L 4536.676 12237.61 920101 CRSEDS D34 L 4535.604 12237.61 920101 CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D35 L 4533.516 12227.74 920101 CRSEDS D36 L 4533.464 12220.05 920101 CRSEDS D37 L 4532.604 12215.72 920101 CRSEDS D38 L 4537.327 1220.21 920101 CRSEDS D39 L 4537.327 1220.21 920101 CRSEDS D40 L 4537.737 1220.21 920101 CRSEDS D41 L 4537.737 12246.14 92010	L +		•		-	
CRSEDS D31 L 4536.41 12240.48 920101 CRSEDS D32 L 4536.41 12239.54 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D35 L 4534.62 12223.78 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D36 L 4533.464 12220.05 920101 CRSEDS D37 L 4532.604 12215.72 920101 CRSEDS D39 L 4537.327 1220.05 920101 CRSEDS D44 L 4615.981 12358.26 920101 CRSEDS D41 L 4537.327 1220.21 920101 CRSEDS D44 L 4537.378 12246.14 9201			. ·		-	· ·
CRSEDS D32 L 4537.03 12239.54 920101 CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D34 L 4536.678 12237.61 920101 CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D37 L 4534.62 12220.73 920101 CRSEDS D38 L 4533.464 12220.75 920101 CRSEDS D38 L 4533.464 1225.72 920101 CRSEDS D39 L 4537.327 1220.21 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.76 920101 CRSEDS D42 L 4534.62 12226.76 920101 CRSEDS D41 L 4534.62 12226.76 920101						•
CRSEDS D33 L 4536.678 12237.61 920101 CRSEDS D34 L 4535.604 12233.98 920101 CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D36 L 4534.62 12226.78 920101 CRSEDS D37 L 4534.59 12223.73 920101 CRSEDS D37 L 4534.59 12223.73 920101 CRSEDS D38 L 4533.464 12220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4534.62 12226.78 920101 CRSEDS D40 L 4534.62 12226.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4534.62 12226.78 920101 CRSEDS D43 L 4537.378 12246.14 920101 CRSEDS D44 L 4609.87 12302.76 920101 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>the second second second</td>						the second second second
CRSEDS D34 L 4535.604 12233.98 920101 CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D37 L 4534.62 12223.73 920101 CRSEDS D37 L 4533.464 12220.05 920101 CRSEDS D38 L 4533.464 12220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4537.327 12246.14 920101 CRSEDS D42 L 4557.378 12246.14 920101 CRSEDS D43 L 4609.87 12302.76 920101 CRSEDS D44 L 4611.638 12342.1 920						· · · · · · · · · · · · · · · · · · ·
CRSEDS D35 L 4534.62 12226.78 920101 CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D37 L 4534.589 12223.73 920101 CRSEDS D38 L 4533.464 12220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D4 L 4537.327 12201.21 920101 CRSEDS D40 L 4534.62 12226.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4534.62 12226.76 920101 CRSEDS D42 L 4534.62 12302.76 920101 CRSEDS D44 L 4609.87 12302.76 920101 </td <td>CRSEDS</td> <td>D33 _:L</td> <td></td> <td>. 4536.678</td> <td></td> <td></td>	CRSEDS	D33 _: L		. 4536.678		
CRSEDS D36 L 4533.516 12227.44 920101 CRSEDS D37 L 4534.589 12223.73 920101 CRSEDS D38 L 4533.464 12220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D40 L 4534.62 12226.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4534.62 12226.78 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4610.9 12351.72 920101 CRSEDS D46 L 4610.9 12342.1 920101 <td>CRSEDS</td> <td>D34 _L</td> <td></td> <td>4535.604</td> <td></td> <td>,</td>	CRSEDS	D34 _L		4535.604		,
CRSEDS D37 L 4534.589 12223.73 920101 CRSEDS D38 L 4533.464 1220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D40 L 4537.327 1220.26.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4534.62 12246.14 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 1232.91 920101 CRSEDS D45 L 4611.638 12342.1 920101	CRSEDS	D35 L		,		
CRSEDS D38 L 4533.464 12220.05 920101 CRSEDS D39 L 4532.604 12215.72 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D4 L 4537.327 12201.21 920101 CRSEDS D40 L 4534.62 12226.78 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D43 L 4609.87 12302.76 920101 CRSEDS D44 L 4609.87 1232.91 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4614.69 12342.1 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4613.019 12341.51 920101	CRSEDS	D36 L				
CRSEDS D39 L 4532.604 12215.72. 920101 CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D42 L 4557.378 12248.06 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 46110.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4613.019 12343.11 920101	CRSEDS	D37 L		4534.589	12223.73	920101
CRSEDS D4 L 4615.981 12358.26 920101 CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D42 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D44 L 4610.9 12351.72 920101 CRSEDS D46 L 4614.49 12332.91 920101 CRSEDS D46 L 4614.69 12351.72 920101 CRSEDS D46 L 4613.019 12341.51 920101 CRSEDS D6 L 4613.695 12335.22 920101 CRSEDS D8 L 4616.14 12327.34 920101 CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4540.518 12246.53 920101	CRSEDS	D38 L		4533.464	12220.05	920101
CRSEDS D40 L 4537.327 12201.21 920101 CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D42 L 4557.378 12248.06 920101 CRSEDS D43 L 4557.378 12302.76 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D46 L 4613.638 12342.1 920101 CRSEDS D5 L 4613.019 12341.51 920101 CRSEDS D6 L 4613.695 12335.22 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.524 12356.3 920101 CRSEDS E1 L 4538.448 12246.53 920101 <td>CRSEDS</td> <td>D39 L</td> <td></td> <td>4532.604</td> <td>12215.72</td> <td>920101</td>	CRSEDS	D39 L		4532.604	12215.72	920101
CRSEDS D41 L 4534.62 12226.78 920101 CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D43 L 4609.87 12302.76 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4610.9 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D7 L 4613.695 12335.22 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.695 12355.22 920101 CRSEDS D9 L 4613.524 12356.3 920101 CRSEDS E1 L 4540.518 12246.53 920101	CRSEDS	D4 L		4615.981	12358.26	920101
CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D7 L 4613.695 12335.22 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.524 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4538.448 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101	CRSEDS	D40 L	••••		12201.21	920101
CRSEDS D42 L 4541.195 12246.14 920101 CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D44 L 4614.49 12332.91 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D46 L 4611.638 12342.1 920101 CRSEDS D5 L 4613.019 12341.51 920101 CRSEDS D6 L 4613.695 12335.22 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.524 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4538.448 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101 <td>CRSEDS</td> <td>D41 L</td> <td>· •</td> <td>4534.62</td> <td>12226.78</td> <td>920101</td>	CRSEDS	D41 L	· •	4534.62	12226.78	920101
CRSEDS D43 L 4557.378 12248.06 920101 CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.524 12356.3 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4538.448 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101		• •	ing and a second se	4541.195	12246.14	920101
CRSEDS D44 L 4609.87 12302.76 920101 CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D46 L 4611.638 12342.1 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D7 L 4613.019 12341.51 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E10 L 4538.448 12243.01 920101	• •			4557.378	12248.06	920101
CRSEDS D45 L 4614.49 12332.91 920101 CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D7 L 4613.695 12335.22 920101 CRSEDS D8 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E1 L 4540.518 12246.53 920101 CRSEDS E10 L 4538.448 12243.01 920101						
CRSEDS D46 L 4610.9 12351.72 920101 CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D7 L 4613.695 12335.22 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4613.524 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101					the second second second sections	
CRSEDS D5 L 4611.638 12342.1 920101 CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D6 L 4613.019 12341.51 920101 CRSEDS D7 L 4613.695 12335.22 920101 CRSEDS D8 L 4616.14 12327.34 920101 CRSEDS D9 L 4613.524 12356.3 920101 CRSEDS E1 L 4540.518 12246.53 920101 CRSEDS E10 L 4538.448 12243.01 920101 CRSEDS E11 L 4538.448 12243.01 920101				1947 Augusto 4 8 8		
CRSEDS D6 L 4617.882 12343.11 920101 CRSEDS D7 L 4613.019 12341.51 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E1 L 4540.518 12246.53 920101 CRSEDS E10 L 4538.448 12243.01 920101	1			•		• 1
CRSEDS D7 L 4613.019 12341.51 920101 CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E1 L 4640.518 12246.53 920101 CRSEDS E10 L 4538.448 12243.01 920101 CRSEDS E11 L 4538.448 12243.01 920101			• •			
CRSEDS D8 L 4613.695 12335.22 920101 CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101		· · · · · · · · · · · · · · · · · · ·	•++ •			
CRSEDS D9 L 4616.14 12327.34 920101 CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101		· ·	•			
CRSEDS E1 L 4613.524 12356.3 920101 CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101		• •	•			
CRSEDS E10 L 4540.518 12246.53 920101 CRSEDS E11 L 4538.448 12243.01 920101		*-		• • • • •		
CRSEDS E11 L 4538.448 12243.01 920101	1 .					
			: *		•	
		•				
		iune : fan				

Figure 5. Printout of Columbia River Sediment Survey Station Data Loaded to Excel.

SURVEY	STATION	3	4	5	6	LATITUDE	LONGITUDE	9	10	11	12	13	14 RECORD D
CRSEDS	D1	ſ	1	Ļ		4612.274	12356,986		:				920101
CRSEDS	D10	-		L	$\overline{1}$	4612.198	12326.639		1			• • • :	920101
CRSEDS	D11			L		4614.49	12332.91		,		i - ·		920101
CRSEDS	D12			L	1	4612,463	12323.375		1			;	920101
CRSEDS	D13	** -****		ι.		4609.78	12320.14		1		t	F	920101
CRSEDS	D14	<u>+</u>	j	L	<u> </u>	4608.914	12323.424		÷				920101
CRSEDS	D15		ļ'	L.	1	4608.347	12313,934	·	+	• • • 		+ 1	920101
CRSEDS	D16			L	1t	4611.244	12305.429	·· ···	1	· · · ·			920101
CRSEDS	017	- <u> </u>	1	Ľ	††	4609.87	12302.76		1			<u>⊦</u> ⊶ - ≀	920101
CRSEDS	D18		1	Ē	<u> </u>	4607.429	12301,307				F	••••••••••••••••••••••••••••••••••••••	920101
CRSEDS	019		†		tt	4608.32	12300.52		÷—			·	920101
CRSEDS	D2			L	† †	4618.042	12402,494						920101
CRSEDS	020			۱۳۵۰۰۰ ال	†	4603.596	12252.106						920101
CRSEDS	D21	··+·-~		13	†	4604.324	12253.934		<u>.</u>			њан а	920101
CRSEDS	D22		†	i	tt	4600.584	12250.907	4-4	4			L	920101
CRSEDS	D23		∔	1 <u></u>	·[+- 	4557,378	12248.058		:		<u>↓</u> • – •		920101
CRSEDS	D24		1	t	•	4552	12247.8		1		+ ·		920101
CRSEDS	D25			₩ <u></u>	·{	4550,408	12246.648					t:	920101
RSEDS	D26		†	L	;†	4546.921	12246.156	•	?				920101
CRSEDS	027				<u>}</u>	4545.27	12246.669		;			fr	920101
CRSEDS	D28	•	<u>+</u> ·	<u> </u>	i+	4541.195	12246.14		<u>+</u>				920101
CRSEDS	D29		†	L	╆┈╍╉	4540.12	12245.86		+	• • · ·	∳ · <u> </u>		920101
CASEDS	D3	-+	j	1.	<u>†</u> †	4610.9	12351.72			· 	j		920101
CRSEDS	D30		↓	ی ال	· · · · · · • • •	4538.46	12244.68			•••• ••• •	• • •	f	920101
CRSEDS	D31		ţ	 L	<u></u> ; <u></u> ;	4536.41	12240.48	·				L. 	920101
CRSEDS	D32		+	₽ <u>−</u> −−− L	┼╌┼	4537.03	12239.54		į	i	†. – – ·	Ì.	920101
CRSEDS	033		4	<u> </u>	†	4536.678	12237.613		+	÷	1	\$	920101
CRSEDS	D34	• +	†	÷=	<u>†-</u> †	4535.604	12233.982			! •• • ••	:		920101
CRSEDS	D35			17		4534,62	12226.781	1.41.		-	<u>∔</u> —	•	920101
CRSEDS	D36		†	1	┼╌╌╍╬	4533.516	12227.441	415.prd -		\$ 4·,	₽	4.	920101
CASEDS	D37			<u> -</u>	++	4534.589	12223.73		<u>+</u> -		<u></u> + ·	··	920101
CRSEDS	038		†	<u> -</u>	-{	4533,464	12220.052		<u>†</u>		• • •	f F	920101
CRSEDS	039			i~		4532.604	12215.721				+		920101
CRSEDS	- 04		<u>†</u> ·──-		- +	4615.981	12358.261			r	<u>↓</u>	f -	920101
CASEDS	D40	+	+	<u>р</u>		4537.327	12201.21		<u>+</u>		} ·		920101
CRSEDS	D41		4	<u> </u>	i	4534.62	12226.781		+	·	1 -		920101
CASEDS	D42		4 ÷	[· + +	4541.195	12246.14		÷ •		†	<u></u> †	920101
	D43		· <u> </u>		j — †	4557.378	12248.058		÷			÷ -••	920101
CASEDS	D44		<u>+</u>	∦ -	†	4609.87	12302.76		÷	Ľ —	<u>+</u>	<u> </u>	920101
	D45	-+		L.		4614,49	12332.91		+ ·- ·	ľ.—–	ţ	<u>+</u>	920101
CASEDS	D46		i	<u>њ.</u> h		4614.45	12351.72		÷	ŀ		1 - 1	920101
	046 05		t	<u>لہ</u> ۔۔۔	┨	4611.638	12342,104		-	i - -	.	÷	► 19. 4 (non-region (non-)
·····			i	<u> </u>		4617.882		L	· · · ·	• ••	ļ.	 -	920101
CRSEDS	D6		[iL	<u> </u>	4017.882	12343.113		÷	•	<u>i</u>	<u> </u>	920101

Figure 6. Printout of Columbia River Sediment Survey Data Loaded to Microsoft Access.

Yes, Ecology sees the PSAMP formats as the most useful of available formats, since data are so easy to transfer into almost any software the user would want.

3.2 SUMMARY OF MEDIUM-TERM NEEDS AND OPTIONS

The Bi-State Program's medium-term needs are to manage, analyze, and distribute data collected by the Bi-State Program, and other related data about the lower Columbia River. Results need to be communicated to the public, and to policy-makers about the condition of the River.

The recommended choice of a medium-term system depends on the Bi-State Programs's answers to the following questions:

- How frequently do Bi-State Program staff need to access and use Program data?
- Does the Bi-State Program want to, and is the Bi-State Program able to manage its own database system?

Three possible approaches were identified (Figure 7):

- Maintain the data archive
- Select a database system to be managed by the Bi-State Program
- Select a database system managed by another organization.

3.2.1 Maintain the Data Archive

If the Program staff do not need frequent data access, data could be maintained in the data transfer format selected to meet short-term needs. This option is the simplest and lowest-cost option (<\$5,000/year) for the Bi-State Program, but also limits the ability to use and analyze data.




Figure 7. Medium-term Data Management Options and Recommended Approach.

3.2.2 Select a Database System to be Managed by the Bi-State Program

If the Bi-State Program needs frequent, direct, and flexible access to information, then an existing database system should be selected and managed by the Bi-State Program. This approach is the most expensive one, requiring from \$15,000 to \$35,000 in set-up costs, and about \$15,000 a year to maintain. However, it would provide the Bi-State Program with the most extensive capabilities for data analysis and presentation.

Two possible options for a Program-managed database system were discussed:

- NOAA's Coastal Ocean Mapping, Planning and Assessment System (COMPAS)
- Puget Sound Ambient Monitoring Program (PSAMP) database system

3.2.2.1 COMPAS. COMPAS is an Apple computer-based database in development by the NOAA Strategic Environmental Assessment Program in Rockville, MD. It combines database and mapping capabilities, using Oracle database management software and Atlas Pro mapping software.

As described by NOAA staff, COMPAS will contain maps of shoreline and coastal features; along with different types of monitoring information. Menus will be available to set up the data files, manage data entry and editing, and to retrieve data from the files. By making a set of choices from a menu, a user will be able to selectively retrieve monitoring data, calculate some simple statistics (e.g., count, mean, minimum), and place the data onto an existing shoreline map.

Advantages of using COMPAS would include the mapping and analysis capabilities. However, neither Washington Department of Ecology or Oregon DEQ use Apple Computers. COMPAS is still in development, so it cannot be fully evaluated.

3.2.2.2 PSAMP DATABASE SYSTEM. The PSAMP database system is a DOS microcomputer-based database system developed for use in managing data from the Puget Sound Ambient Monitoring Program. Developed using dBase IV, it has been used by 3 state agencies and several consultants for managing monitoring data.

Several features of PSAMP were demonstrated to indicate the advantages of using a local, microcomputer-based database:

• The main menu was explained (Figure 8)

Data in PSAMP data transfer format were loaded into PSAMP (Figure 9)

• A standard report of fish tissue metals data was produced (Figures 10 and 11)

Advantages of using PSAMP include:

User-friendly

Can load data in PSAMP format, and output data in PSAMP or ODES format.

In use for several years at 3 different state agencies in Washington

Flexible data retrievals

Stores almost all desired data types

Disadvantages include:

No mapping capabilities.


Slow in retrievals and formatting

Very limited custom report capability


Uses dBase IV software, considered by some to be out-of-date.

Transfer Verity Derive Add/Edit Utilities UtHelp Exit Reports Enter/edit data

Figure 8. PSAMP Database System Main Menu.



23 '



Fish Ketals Report 11/12/93 Page : 1

Only Verified data. Survey : CRSCKER Data quality is unspecified.

SURVEY	STATION	SANPLE	R E P	SANPLE DATE	WATER BODY	9 0 1 1 1	nanganese nercury	nickel	selenium	silver	thallium
CRSCKER	01C	D10		01/01/93	10	2	E0.117	00.82	VO.47	UO'. 21	·========
CRSCKER	D12	D12		01/01/93	2 x	2	20.071	00.74	VO.42	UO.19	
CRECKER	D15	D15		01/01/93	28	2	E0.065	UQ.91	00.52	00.23	
CRSCKER	D16	D16		01/01/93	2C	2	E0.054	VO.75	00.43	00.19	
CRECKER	D19	D19		01/01/93	2C	2	E0.061	UO.61	00.35	00.16	
CRECKER	D20	020	,	01/01/93	20	2	E0.072	00.74	00.42	UQ.19	
CRSCKER	D22	D22		01/01/93	3X	2	E0.094	E1.05	UO.45	UO.21	
CRSCKER	D23	D23			3X	2	E0.137	UQ.73	DO.42	UO.19	
CRSCKER	D24	D24		01/01/93	3X	2	E0.038	VO.81	UC.46	UC.21	
CRSCKER	D26	D26		01/01/93		2	E0.137	00.65	00.37	00.17	
CRSCKER	D28	D28			38	2	E0.071	E1.36	00.40	UO.18	
CRSCKER	D29	D29		01/01/93		2	E0.022	E1.08	00.49	UO.22	
CESCHER	D31	D31			4 x	2	E0.087	UO.79	UO.45	UQ.20	
CRSCKER	035	D35		01/01/93	48	2	80.070	EQ.96	00.33	UO.15	
CRSCREE	D38	C38		01/01/93	48	2	E0.051	00.73	00.42	JO.19	
CRECKER	D40	D40		· •	48	2	E0.131	VO.75	00.43	UO.19	
CRSCKER	D6	D6		01/01/93		2	E0.082	UO . 59	VO,34	00.15	
CRECKER	80	80		01/01/93		2	ED.093	UO.92	UO.52	VO.24	

٨

Figure 11. PSAMP Database System, Sample Report Output.

3.2.3 Select a Database System Managed by Another Organization

If the Program needs frequent access to information, and does not want to manage its own database management system, then an existing database system managed by another organization should be selected. A mainframe-based Federal database system would be the best approach if the Bi-State Program wanted to minimize local responsibility for and control over the data, and minimize costs (\$7,500 in set-up costs, \$7,000 - \$22,000 per year).

Two possible options for an Other-managed database system were discussed:

- Storet, EPA's basic database for the Storage and Retrieval of Water Quality Information.
- ODES, the Ocean Data Evaluation System, an EPA database designed to management and analysis of marine monitoring data.

3.2.3.1 STORET. Storet is EPA's oldest and largest ambient monitoring database. It is not currently adequate for Bi-State Program medium-term needs since it is designed to store water quality data, and has very limited capabilities for data retrieval and analysis. Since Storet is currently being extensively redesigned, we cannot predict with any certainty what the database will look like or what its capabilities will be in 5 years.

3.2.3.2 ODES. ODES is the recommended option as an other-managed system. ODES is known for its extensive menu-drive capabilities for data analysis using graphics, statistics, and some maps. The future of ODES is somewhat in doubt - funding has been tight in recent years, and there is talk that it will be merged with the redesigned Storet system.

3.2.4 Summary of Workshop Participant Discussions

Would COMPAS be available for DOS computers?

COMPAS is written using Oracle and C. There is no obvious technical reason why it could not be moved to a DOS system, but more information is needed for a definite answer.

Isn't Ecology rewriting the PSAMP database in Oracle?

There has been talk of rewriting PSAMP, using Oracle, but the funding has not been found. PSAMP's current database is dBase IV which was state-of-the-art software when PSAMP was written in 1989. DBase IV is not an Ecology or DEQ software standard.

Would USGS's new database system, the National Water Information System (NWIS2) be available for use by the Bi-State program?

A representative of USGS present at the demonstration indicated that NWIS2 will not be available for another year, and that it would require a substantial policy shift for USGS to go into the business of managing data for other organizations.

What about other systems?

A few other systems were evaluated, such as Idaho's Environmental Data Management System, but it was found to be limited to groundwater data. Neither Ecology nor DEQ has anything but the most general of plans for the development of a state-of-the-art database for monitoring data.

Where can the PSAMP database system be obtained?

Copies of the database are available from the Puget Sound Water Quality Authority in Olympia, WA. A form releasing the state from liability must be signed.

3.3 SUMMARY OF LONG-TERM NEEDS AND OPTIONS

Bi-State Program long-term data management needs are to ensure cooperative sharing of all available information on the River, in order to improve environmental decision-making.

The presentation of the long-term options focused on the technological changes that are underway that will allow extensive data sharing among organizations. Instead of creating a database for each project or program, computer networks will link databases together in ways that facilitate data integration (Figure 12). Users can get on these networks and ask questions that are pertinent to their particular focus.

Such technology has become available in the last several years, and agencies are beginning to implement it. For example, Ecology is currently running their Water Quality Permit Database across an agencywide network, that allows a user in Olympia to query data that is managed by and located in the Eastern Regional Office in Spokane.

To demonstrate a simple example of the new technological capabilities, a demonstration of how Microsoft Access could be used to access data in the PSAMP database was performed (Figure 13). The data are still maintained in the dBase files, but Access allows a user to generate reports without knowing dBase or having the PSAMP system. In the future, users will be able to combine data stored at different locations, and in different software, provided that data have been standardized enough to allow their combination.

While the Bi-State Program cannot single-handedly take on the task of building such a system, it should encourage the discussion of data sharing, integration and standardization as part of the Steering Committee's development of a long-term institutional framework for Columbia River monitoring and management. A working group of data experts from the states and interested Federal agencies should meet to explore issues, and make recommendations to the Steering Committee for a long-term approach. The Program should seek to take advantage of and encourage efforts to improve access to existing agency data needed to make management decisions.

3.3.1 Summary of Workshop Participant Discussions

Doug Terra, ODEQ, described a current effort underway in Oregon to development a set of data standards for agencies, and others involved in the implementation of President Clinton's forest plan. A Memorandum of Understanding is being developed which will require participating organizations to adhere to these standards in order to be able to share and analyze data.




Figure 12. Schematic Diagram of Ideal Long-Term System.

SURVEY	STATION	SAMPLE	REPLICATE	TOTAL PCBS	METHOLXYCHLOR
CRCRAY	D6	D6			U30
CRCRAY	D8	D8		i	U30
CRCRAY	D10	D10			1U30
CRCRAY	D12	D12			U30
CRCRAY	D15	D15			E32
CRCRAY	D16	D16			U30
CRCRAY	D19	D19			U30
CRCRAY	D20	D20		1	U30
CRCRAY	D22	022			1030
CRCRAY	D23	D23			iU40
CRCRAY	D24	D24	1		34
CRCRAY	D26	D26	i		U30
CRCRAY	D28	D28			⁷ U30
CRCRAY	D29	D29	1		JU30
CRCRAY	D31	D31		1 .	1U30
CRCRAY	035	D35			U30
CRCRAY	D38	D38			U30
CRCRAY	D40	D40			U30
CRSCKER	D6	06		110	(U30
CRSCKER	D8	D8		70	R
CRSCKER	D10	D10		210	U30
CRSCKER	D12	D12	•	110	U30
CASCKER	D15	D15	1	66	65
CRSCKER	D16	D16		76	U30
CASCKER	D19	D19		63	U30
CRSCKER	D20	· D20		130	U30
CRSCKER	022	JU22		61	U30
CRSCKER	ID23	D23		160	U30
CRSCKER	D24	D24	1	120	1U30
CRSCKER	D26	D26		150	U30
CASCKER	D28	D28	T	390	1U30
CRISCKER	029	D29		160	1U30
CRISCKER	D31	D31	1	210	U30
RSCKER	D35	D35	1	55	U30
RSCKER	D38	D38	1	130	U30
CASCKER	D40	040	1	130	U30

Figure 13. Sample Screen Showing a Microsoft Access Retrieval of Columbia River Crayfish and Sucker Pesticide Data From PSAMP Files.

4.0 SYSTEM DEMONSTRATION SUMMARY AND RECOMMENDATIONS

At the conclusion of the presentation, questions and discussions among the presenters and among workshop participants, particularly between ODEQ and Ecology representatives were encouraged. A review of the outstanding issues for this project were made and we raised the question of whether the participants could agree on recommending that the PSAMP data formats should be used by the Bi-State Program to organize the existing and future data. There was a fair amount of discussion among the state agency participants and some reluctance by ODEQ to accept this recommendation. However, through further discussions about other alternatives and their disadvantages, and the fact that this work had been held up long enough, a consensus was reached by all workshop participants to be used in all future Bi-State work. In addition, it was recommended that this requirement be added to all future data collection task orders issued by the Bi-State Program to ensure that all data are received and are in a standard format.

Finally, it was also agreed upon by consensus, that the Bi-State Program was not the appropriate group to solve the long-term data integration efforts. However, a recommendation should be made to the Steering Committee involving:

- The establishment of a working group data experts from the states and federal agencies that would meet to explore issues, and make recommendations to the Steering Committee for a long-term approach.
- The Bi-State should encourage the discussion of data sharing and data integration as part of the Steering Committee's development of a long-term institutional framework for Columbia River monitoring and management.

5.0 REFERENCES

Tetra Tech. 1992. Data management work plan. Final report. Prepared by Tetra Tech, Inc., Bellevue, Washington. Prepared for the Lower Columbia River Bi-State Water Quality Program. 14 pp.

Tetra Tech. 1993a. Data management needs assessment report. Final report. PRepared by Tetra Tech, Inc., Redmond, Washington. Prepared for the Lower Columbia River Bi-State Water Quality Program. 25 pp. + appendices.

Tetra Tech. 1993b. Data management systems evaluation and recommendations report. Final report. Prepared by Tetra Tech, Inc., Redmond, Washington. Prepared for the Lower Columbia River Bi-State Water Quality Program. 61 pp. + appendices.

Webster, G.L. 1992. Bi-State Lower Columbia River Program programatic needs assessment. Final report. ODEQ Contract No. 41-92. 27 pp. + appendices.